

Cordless die stock

REMS Akku-Amigo 22V

NEW

REMS 22V 
LI-ION TECHNOLOGY

REMS

for Professionals

REMS 22V

LI-ION TECHNOLOGY

Powerful handy and light.

Li-Ion 21.6V, 9.0Ah battery, for approx. 52 ¾" threads with one battery charge.

Only 5.6kg including batteries!

German Quality Product



REMS Akku-Amigo 22 V – handy and light.

REMS Akku-Amigo 22 V is a powerful, handy power tool for thread cutting with a unique support bracket. REMS Akku-Amigo 22 V can be used anywhere without a vice. For ½–1", 16–32 mm pipe threads, 6–30 mm, ¼–1" bolt threads. The REMS Li-Ion 22 V technology with a capacity of 9.0 Ah sets standards in terms of economy and user friendliness and enables cutting of approximately 52 ¾" threads with once battery charge. The battery technology and the low weight of the drive unit including battery of just 5.6 kg enable easy, effortless working everywhere on site. Ideals for repairs, renovations and building sites.

- 1** Slender design for working in confined areas.
Drive unit including battery weighs only 5.6 kg.
- 2** Practical D-shaped handle with soft grip.
- 3** Perfect seating of quick-change die heads.
- 4** Machine status check with overload protection of the drive unit against too high currents, with overheating protection by motor temperature monitoring (NTC), with electronic battery charging status check by a 2-coloured green/red LED.
- 5** Solid, maintenance-free gear.
- 6** Powerful battery motor 21.6 V, with large power reserve, 500 W output. High cutting speed 27–20 rpm.
- 7** Safety tip switch.
- 8** **Support bracket**
Solid, easy to use, supports the die stock against torque in both directions. Secure clamping through angular clamping spindle with self-supporting effect. Very simple mounting of die stock onto support bracket and pipe.
- 9** **Quick-change die heads**
Proven technology, high-grade material and precise machining of die head, dies and cover form a unit and ensure an excellent start-cutting performance and easy threading. No stalling of dies. Long, precise pipe guidance for perfect pipe centering. The chip holes which become wider at the outside enable good chip flow and clean threads.
- 10** **System advantage**
Only **one** type of small, compact quick-change die heads and only **one** type of dies for all REMS die stocks. Thus efficient and easy stocking. No confusion possible.
- 11** **Li-Ion 22 V Technology**
Highly resistant Li-Ion 21.6 V battery with 9.0 Ah capacity, for long service life. Light and powerful, for 52 ¾" threads with one battery charge.
- 12** Graduated charging state display with coloured LED.
- 13** Operating temperature range – 10 to + 60 °C. No memory effect for maximum battery power.
- 14** Rapid charger.

REMS Akku-Amigo 22V



REMS Akku-Amigo 22V Set. Cordless die stock with quick-change die heads. For pipe threads $\frac{1}{8}$ –1", 16–32 mm, bolt threads 6–30 mm, $\frac{1}{4}$ –1". For right and left-hand threads. Drive unit with maintenance-free gear, powerful battery motor 21.6 V, 500 W. Safety switch. Right and left-hand rotation, machine status check with overload protection, temperature monitoring, battery charging status check. Li-Ion 21.6 V, 9.0 Ah battery, Li-Ion 230 V, 50–60 Hz, 70 W rapid charger. Support bracket for both directions. REMS eva quick-change die heads for pipe threads, tapered, ISO 7-1, EN 10226 (DIN 2999, BSPT) R right-hand respectively for threading electric conduit according to DIN DN 60423 M.

REMS Akku-Amigo 22V Set R $\frac{1}{2}$ – $\frac{3}{4}$ –1

In sturdy steel case.

Art.-No. 530015 R220

REMS Akku-Amigo 22V Set M 20–25–32

In sturdy steel case.

Art.-No. 530016 R220

Accessories



REMS Akku-Amigo 22V drive unit,
without battery

Art.-No. 530004 R22

Support bracket Amigo 2 Compact

Art.-No. 543010

Battery Li-Ion 21.6 V, 9.0 Ah

Art.-No. 571583 R22

Rapid charger Li-Ion 230 V, 50–60 Hz, 70 W

Art.-No. 571575 R220

Steel case with inlay

Art.-No. 566030 R

REMS REG St $\frac{1}{4}$ –2", pipe deburrer

Art.-No. 731700

Ratchet lever

Art.-No. 522000



Quick-change die heads, dies, attachment heads
for button dies, see the REMS Catalogue 2019.

Thread-cutting oil, see the REMS Catalogue 2019.

Nippelspanner $\frac{3}{8}$ –2", see the REMS Catalogue 2019.

Sale through specialist dealers.



REMS (UK) Ltd.

Unit 5 · Ash Industrial Estate
Flex Meadow · Harlow · Essex CM19 5TJ
Phone +44 12 79 41 36 98
Fax +44 12 79 41 37 04
www.rems.de · GBR@rem.de



www.rems.de



www.youtube.com/remstools



www.facebook.com/remstools



www.twitter.com/remstools



www.instagram.com/remstools